		7	 
USN	<u> </u>		

# Sixth Semester B.E. Degree Examination, July/August 2005

## **Computer Science Engineering**

## System Simulation and Modeling

Time: 3 hrs.]

[Max.Marks: 100

Note: 1. Answer any FIVE full questions. 2. Statistical tables may be supplied.

1. (a) With an aid of flow diagram, explain various steps in a simulation study.

(10 Marks)

(b) Demand for midgets follows the following probability distribution :

(10 Marks)

Daily demand	0	1	2	3	4
Probability	0.33	0.25	0.20	0.12	0.10

Stock is examined every 7 days (the plant is in operation every day) and if the stock level has reached 6 units, or less, an order for 10 midgets is placed. The lead time (days until delivery) is probabilistic and follows the following distribution

Lead time (days)	1	2	3
Probability	0.3	0.5	0.2

When the simulation begins, it is the beginning of the week, 12 midgets are on hand, and no orders have been backordered. (Back ordering is allowed). Simulate 6 weeks of operation of this system. Determine different parameters to analyse the system.

2. (a) With an illustrative example, explain the simulation of queuing system.

(10 Marke

(b) Prepare a table using event scheduling /time advance algorithm, until the clock reaches time 15, using the interarrival and service times given below in the order shown. The stopping event will be at time 30.

Interval times	4	5	2	8	3	7
Service times	5	3	4	6	2	7

- 3. (a) Explain he linear congruential method for generating random numbers and generate three random members using above method with  $X_0=27,\ a=17,\ c=43$  and m=100.
  - (b) Briefly explain the various tests used for testing the random numbers for their desirable properties.
- **4.** (a) What is acceptance-Rejection technique? Generate three Poisson variates with mean  $\alpha=0.2$ .
  - (b) Enlist the steps involved in development of a useful model of input data. (4 Marks)
  - (c) Describe how the method of histograms can be used to identify the shape of a distribution.

    (6 Marks)

**CS65** 

- 5. (a) Explain the chi-square goodness of fit test to accept or reject a candidate distribution.
  (10 Marks)
  - (b) Briefly explain the three-step approach, that aids in the validation process. (10 Marks)
- 6. (a) Discuss how the performance of a simulated system is measured and estimated, with suitable illustrations. (10 Marks)
  - (b) With illustrative examples, describe the output analysis for steady state simulations.
    (10 Marks)
- 7. (a) Briefly explain the process oriented and event oriented simulation tools. (10 Marks)
  - (b) Discuss the concepts of high-level computer simulations by sketching a simulation model at a computer system that services requests from the WWW (World wide Web).
- 8. Write short notes on the following:

最高機能 (1944年)を開から、1060年(1947年)。 第100年2月1日 - 107年(1977年)。

美麗麗麗 自身的现在分词 经通知 医动物性病 化二十二十二

·**连手续来等增**了。""电子不同的自己的同时来,但这些人的一个自己,不是一个

Etropic ent

- (a) Advantages and disadvantages of simulation
- (b) World views
- (c) Model building
- (d) Memory simulation.

 $(4 \times 5 = 20 \text{ Marks})$ 

\*\* \* \*

respective to the second of the control of the cont

<mark>der Brieger Berging with mer kommenter betreiten der bestelle der bestellte der bestellte belande.</mark> Die Marie der Brieger der der Brieger der Brieger der bestellte der bestellte der bestellte der bestellte der b

Reg. No			П

## Sixth Semester B.E. Degree Examination, January/February 2006

# Computer Science and Engineering System Simulation and Modelling

Time: 3 hrs.)

(Max.Marks: 100

Note: 1. Answer any FIVE full questions.

2. Tables A.8 of K.S. critical values and A.6 A.3 of cumulative normal distribution are to be supplied from the discrete - event simulation books.

1. (a) Explain the different steps involved in a simulation study.

(8 Marks)

- (b) Describe a queuing system with respect to arrival and service mechanisms, system capacity, queue discipline, flow diagrams of arrival and service events. (12 Marks)
- 2. (a) Differentiate between discrete and continuous system.

(5 Marks)

(b) A small shop has one check out counter. Customers arrive at this counter at random from 1 to 10 minutes apart. Each possible value of inter arrival time has the same probability of occurrence equal to 0.10. The service times vary from 1 to 6 minutes with probability shown below.

Service time 1 2 3 4 5 6 Probability 0.05 0.10 0.20 0.30 0.25 0.10

Develop simulation table for 10 customers. Find i) average waiting time ii) average service time iii) average time customer spends in the system. Take random digits for arrivals as

91, 72, 15, 94, 30, 92, 75, 23, 30 and for service times are 84, 10, 74, 53, 17, 79, 91, 67, 89, 38 sequentially.

(15 Marks)

3. (a) What are the major concepts in discrete - event simulation?

(5 Marks)

(b) One company uses 6 trucks to haul manganese ore from Hospet to its industry. There are two loaders, to load each truck. After loading, a truck moves to the weighing scale to be weighed. The queue discipline is FIFO. When it is weighed a truck travels to the industry and returns to the loader queue. The distributions of loading time, weighing time and travel time are as follows:

Loading times: 10 5 5 10 15 10 10

Weigh times : 12 12 12 16 12 16

Travel times : 60 100 40 40 80

Calculate the total busy time of both loaders, of the scale average loader and scale utilization. Assume 5 trucks are at the loaders and one is at the scale at time '0' Stopping time  $T_E=64min$ . (15 Marks)

- (a) Mention the important considerations for the selection of routines to generate random numbers.
   (5 Marks)
  - (b) Explain combined linear congruential generators for developing random numbers.
    (5 Marks)

Contd.... 2

- (c) Use the linear congruential method to generate a sequence of four two-digit random numbers, with  $X_0=27,\ a=17,\ C=43$  and m=100. What is the effect of FIFTH two digit random integer on the above numbers? (10 Marks)
- 5. (a) The sequence of numbers 0.54, 0.73, 0.98, 0.11, 0.68 has been generated. Use the Kolmogonov Smirnov test with  $\alpha=0.05$  to determine if the hypothesis that the numbers are uniformly distributed on the interval [0,1] can be rejected. Compare F(X) and  $S_N(X)$  on a graph. (8 Marks)
  - (b) The 50 two digit values are given below.

0.34	0.90	0.25	0.89	0.87	0.44	0.12	0.21	0.46	0.67
0.83	0.76	0.79	0.64	0.70	0.81	0.94	0.74	0.22	0.74
0.96	0.99	0.77	0.67	0.56	0.41	0.52	0.73	0.99	0.02
0.47	0.30	0.17	0.82	0.56	0.05	0.45	0.31	0.78	0.05
0.79	0.71	0.23	0.19	0.82	0.93	0.65	0.37	0.39	0.42

Can the hypothesis that the numbers are independent be rejected on the basis of the length of runs above and below the mean. Take  $\alpha=0.05$ . (12 Marks)

- 6. (a) Explain the inverse transformation technique of producing random variates for exponented distribution.(5 Marks)
  - **(b)** Generate 5 poison variates with mean lpha=0.25.

(5 Marks)

- (c) Generate 10 three digit random integers using multiplicative congruential method with  $X_0=117,\ a=43,\ m=1000.$  (10 Marks)
- 7. (a) Explain the Chi-square goodness of fit test to reject or accept a candidate distribution.(5 Marks)
  - (b) Explain the types of simulation with respect to output analysis. Give at least two examples. (10 Marks)
  - (c) Write a note on model building, verification and validation. (5 Marks)
- **8.** (a) The time required for 50 different employees to compute and record the number of hours worked during the week was measured with the following results in minutes. Use Chi-square test, to test the hypothesis that these service times are exponentially distributed. Take the number of class intervals as  $k=6,\ \alpha=0.05$ .

Employee         Time         Employee         Time         Employee         Time           1         1.88         17         0.26         35         1.10           2         0.54         18         0.63         36         0.24           3         1.90         19         0.36         37         0.26           4         0.15         20         2.03         38         0.45           5         0.02         21         1.42         39         0.17           6         2.81         22         1.28         40         4.29           7         1.50         23         0.82         41         0.80           8         0.53         24         2.16         42         5.50           9         2.62         25         0.05         43         4.91           10         2.67         26         0.04         44         0.35           11         3.53         27         1.49         45         0.36           12         0.53         28         0.66         46         0.90           13         1.80         29         2.03         47         1.03      <		r								
1       1.88       17       0.26       35       1.10         2       0.54       18       0.63       36       0.24         3       1.90       19       0.36       37       0.26         4       0.15       20       2.03       38       0.45         5       0.02       21       1.42       39       0.17         6       2.81       22       1.28       40       4.29         7       1.50       23       0.82       41       0.80         8       0.53       24       2.16       42       5.50         9       2.62       25       0.05       43       4.91         10       2.67       26       0.04       44       0.35         11       3.53       27       1.49       45       0.36         12       0.53       28       0.66       46       0.90         13       1.80       29       2.03       47       1.03         14       0.79       30       1.00       48       1.73         15       0.21       31       0.39       49       0.38         16       0.80		Employe	e Time	Employe	e Tim	e E	mploye	e.	Time	
2       0.54       18       0.63       36       0.24         3       1.90       19       0.36       37       0.26         4       0.15       20       2.03       38       0.45         5       0.02       21       1.42       39       0.17         6       2.81       22       1.28       40       4.29         7       1.50       23       0.82       41       0.80         8       0.53       24       2.16       42       5.50         9       2.62       25       0.05       43       4.91         10       2.67       26       0.04       44       0.35         11       3.53       27       1.49       45       0.36         12       0.53       28       0.66       46       0.90         13       1.80       29       2.03       47       1.03         14       0.79       30       1.00       48       1.73         15       0.21       31       0.39       49       0.38         16       0.80       32       0.34       50       0.48          33       0			1.88	F .				<u>,                                    </u>		
3       1.90       19       0.36       37       0.26         4       0.15       20       2.03       38       0.45         5       0.02       21       1.42       39       0.17         6       2.81       22       1.28       40       4.29         7       1.50       23       0.82       41       0.80         8       0.53       24       2.16       42       5.50         9       2.62       25       0.05       43       4.91         10       2.67       26       0.04       44       0.35         11       3.53       27       1.49       45       0.36         12       0.53       28       0.66       46       0.90         13       1.80       29       2.03       47       1.03         14       0.79       30       1.00       48       1.73         15       0.21       31       0.39       49       0.38         16       0.80       32       0.34       50       0.48			0.54	18	0.6	3	36			
4       0.15       20       2.03       38       0.45         5       0.02       21       1.42       39       0.17         6       2.81       22       1.28       40       4.29         7       1.50       23       0.82       41       0.80         8       0.53       24       2.16       42       5.50         9       2.62       25       0.05       43       4.91         10       2.67       26       0.04       44       0.35         11       3.53       27       1.49       45       0.36         12       0.53       28       0.66       46       0.90         13       1.80       29       2.03       47       1.03         14       0.79       30       1.00       48       1.73         15       0.21       31       0.39       49       0.38         16       0.80       32       0.34       50       0.48		3	1.90	19	0.3	5	37		,	1
5         0.02         21         1.42         39         0.17           6         2.81         22         1.28         40         4.29           7         1.50         23         0.82         41         0.80           8         0.53         24         2.16         42         5.50           9         2.62         25         0.05         43         4.91           10         2.67         26         0.04         44         0.35           11         3.53         27         1.49         45         0.36           12         0.53         28         0.66         46         0.90           13         1.80         29         2.03         47         1.03           14         0.79         30         1.00         48         1.73           15         0.21         31         0.39         49         0.38           16         0.80         32         0.34         50         0.48	İ	4	0.15	20	2.0	3	38			- 1
6         2.81         22         1.28         40         4.29           7         1.50         23         0.82         41         0.80           8         0.53         24         2.16         42         5.50           9         2.62         25         0.05         43         4.91           10         2.67         26         0.04         44         0.35           11         3.53         27         1.49         45         0.36           12         0.53         28         0.66         46         0.90           13         1.80         29         2.03         47         1.03           14         0.79         30         1.00         48         1.73           15         0.21         31         0.39         49         0.38           16         0.80         32         0.34         50         0.48		5	0.02	- 21	1.42	2	39		0.17	
7       1.50       23       0.82       41       0.80         8       0.53       24       2.16       42       5.50         9       2.62       25       0.05       43       4.91         10       2.67       26       0.04       44       0.35         11       3.53       27       1.49       45       0.36         12       0.53       28       0.66       46       0.90         13       1.80       29       2.03       47       1.03         14       0.79       30       1.00       48       1.73         15       0.21       31       0.39       49       0.38         16       0.80       32       0.34       50       0.48         33       0.01       0.01       0.04       0.00		6	2.81	22	1.28	3	40			- 1
8     0.53     24     2.16     42     5.50       9     2.62     25     0.05     43     4.91       10     2.67     26     0.04     44     0.35       11     3.53     27     1.49     45     0.36       12     0.53     28     0.66     46     0.90       13     1.80     29     2.03     47     1.03       14     0.79     30     1.00     48     1.73       15     0.21     31     0.39     49     0.38       16     0.80     32     0.34     50     0.48       33     0.01			1.50	23	0.82	2	41		0.80	
10       2.67       26       0.04       44       0.35         11       3.53       27       1.49       45       0.36         12       0.53       28       0.66       46       0.90         13       1.80       29       2.03       47       1.03         14       0.79       30       1.00       48       1.73         15       0.21       31       0.39       49       0.38         16       0.80       32       0.34       50       0.48         33       0.01       0.01       0.48			0.53	24	2.16		42			
11       3.53       27       1.49       45       0.36         12       0.53       28       0.66       46       0.90         13       1.80       29       2.03       47       1.03         14       0.79       30       1.00       48       1.73         15       0.21       31       0.39       49       0.38         16       0.80       32       0.34       50       0.48         33       0.01       0.01       0.48		9 ·	2.62	25	0.05		43		4.91	
11       3.53       27       1.49       45       0.36         12       0.53       28       0.66       46       0.90         13       1.80       29       2.03       47       1.03         14       0.79       30       1.00       48       1.73         15       0.21       31       0.39       49       0.38         16       0.80       32       0.34       50       0.48         33       0.01       0.01       0.48		10	2.67	26	0.04		44		0.35	
12     0.53     28     0.66     46     0.90       13     1.80     29     2.03     47     1.03       14     0.79     30     1.00     48     1.73       15     0.21     31     0.39     49     0.38       16     0.80     32     0.34     50     0.48       33     0.01     0.01		11	3.53	27	1.49		45			
13     1.80     29     2.03     47     1.03       14     0.79     30     1.00     48     1.73       15     0.21     31     0.39     49     0.38       16     0.80     32     0.34     50     0.48       33     0.01     0.01     0.48		12	0.53	28	0.66		46			
14     0.79     30     1.00     48     1.73       15     0.21     31     0.39     49     0.38       16     0.80     32     0.34     50     0.48       33     0.01     0.01     0.48		en e e e e e	1.80	29	2.03		47		1.03	
15   0.21   31   0.39   49   0.38   16   0.80   32   0.34   50   0.48   0.01		14	0.79	30	1.00		48		100	
16 0.80 32 0.34 50 0.48 33 0.01		15	0.21	31	0.39		49	1		
		16	0.80	32	0.34		50	I		
34 0.10				33	0.01		į			
				34	0.10					

(10 Marks)

- (b) Write short note on any TWO of the following:
  - i) Process oriented simulation tools
  - ii) Concept of CPU simulation
  - iii) Three step process used in validation process
  - iv) Memory simulation

(2×5=10 Marks)

\* \* \*

Respondent for the second of t

WICHT	 -		 		Γ	
USN	 1			1		

#### Sixth Semester B.E. Degree Examination, July 2006 CS

**System Simulation and Modeling** 

Time: 3 hrs.]

[Max. Marks:100

Note: 1. Answer any FIVE full questions.

2. Random Number Table and Statistical Table book may be supplied.

1 a. Explain the concept of system with any one live example.

(05 Marks)

b. Discuss the various ways of modeling of a system.

(05 Marks)

c. Briefly discuss about the various steps in a simulation study through an example.

(10 Marks)

- a. Discuss in detail about the various elements of any general queuing system. Further explain the need for simulation in this environment and the various measures used to evaluate the system.
  - b. A news paper seller buys news papers for Rs 3.3 each and sells them for Rs 5 each. Papers not sold at the end of the day are sold as scrap for Rs. 0.5 each. Papers can be purchased in bundles of only 10. There are three types of news days viz.: "Good", "Fair" and "poor" with probabilities 0.35, 0.45 and 0.20 respectively. Determine the optimal number of papers by simulating demands for 20 days. (12 Marks)
- 3 a. Explain in detail the various steps used in Time Advance algorithm in a discrete event simulation using a live example. (06 Marks)
  - b. Six trucks are used to haul coal from a mine to the rail road. There are two loaders and one weighing scale. After loading, a truck immediately moves to the scale for weighing and servicing is as per FIFS. After weighing a truck, begins a travel time and then afterwards return to the loader queue with the distribution of travel time as:

Travel Time in	40	60	80	100
minutes ( mts)				
Probability	0.4	0.3	0.2	0.1

Further the distribution of loading time and weighing time are as:

Loading Tin mts.	Time	5	10	15
Probabilit	V	0.3	.05	0.2

Weighing Time	12	16
in mts.		
Probability	0.7	0.3

Simulate the system to estimate the loader and scale utilization.

(14 Marks)

- 4 a. Discuss in brief the various problems or errors which occur while generating Pseudo random numbers. (10 Marks)
  - b. Explain the Two "Goodness of Fit" tests by using an appropriate example. (10 Marks)
- 5 a. Explain how and what for the inverse transform technique is used to sample from two discrete distributions. (10 Marks)

Contd...2

- b. Discuss how the sample mean is estimated under Normal and POISSON distributions. (10 Marks)
- 6 a. Explain in detail about the model building, verifying and validation in the model building process through a diagram. (08 Marks)

b. The demand and lead time for product 'X' are as follows:

Demand	83	103	96	92	109	106	104	112	97	116
Lead time	4.3	6.5	6.3	4.5	7.3	5.8	6.9	6.9	6.0	6.9

Test whether lead time and demand are dependent or not . Comment. (12 Marks)

7 a. Discuss in brief the output analysis for steady – state simulations. (08 Marks

b. Explain the C++ code for generating MPP trace. (08 Marks)

8 a. Discuss about point estimation and interval estimation. (08 Marks)

b. Explain in detail the changes in the computerized representation of the system under I-O transformation. (12 Marks)

73	スァ	7
VACA	/\//	- 1
Page	110	

		:	 	 		
USN						

#### Sixth Semester B.E. Degree Examination, Dec.06 / Jan.07 Computer Science & Engineering

#### **System Simulation & Modeling**

Time: 3 hrs.]

Max. Marks:100

Note: 1. Answer any FIVE full questions.
2. Use of statistical tables is permitted.

1 a. Define simulation. When simulation is the appropriate tool?

(07 Marks)

- b. Differentiate between the following terms:
  - i) System and system environment.
  - ii) Endogenous and exogenous activity.
  - iii) Event and activity.

(06 Marks)

c. In brief, explain the steps in simulation study.

(07 Marks)

2 a. Explain simulation of queueing system.

(08 Marks)

b. Dr. XYZ is a dentist who schedules all patients for 30 minute appointments. Some of the patients take more or less than 30 minutes depending on the type of dental work to be done. The following table shows the various categories of work, their probabilities and time actually needed to complete the work.

.	Categories	Filling	Crown	Cleaning	Extraction	Checkup
	Time required (min)	45	60	15	45	15
	Probability of category	0.40	0.15	0.15	0.10	0.20

Simulate the dentist's clinic for 3 hours and determine the average waiting of time for patients and total idle time for doctor. Assume that patients show up at the clinic at exactly their scheduled arrival time starting at 8.00 a.m. Use following random numbers for handling the above problem.

40 82

11

34

25 6

(12 Marks)

3 a. Write discrete-event model for single channel queue.

(06 Marks)

b. Prepare simulation table using event scheduling algorithm for the arrival of 8 customers using inter-arrival and service times given below, (14 Marks)

Interval times	4	7	8	1	4	2	5	3	1	4
Service times	5	1	2	3	4	9	5	8	6	1

4 a. Define a random number. Explain statistical properties of random numbers.

(03 Marks)

b. Using multiplicative congruential method generate 6 random numbers.

(03 Marks)

c. Test the following sequence of numbers for uniformity by using chi-square test and independence by using poker test. ( $\alpha = 0.05$ ) (14 Marks)

0.594	0.928	0.515	0.055	0.507	0.351	0.262	0.797	0.788	0.442
0.097	0.798	0.227	0.127	0.474	0.825	0.007	0.182	0.929	0.852

5,	a. b. c.	Lead times have been found to be exponentially distributed with me Generate 5 random lead times from this distribution.	(0.5 N =
	d.		(06 Marks) (06 Marks)
6	a. b. c.	Differentiate between verification and validation of simulation models. Briefly explain 3-step approach that aids in the validation process. Explain output analysis for terminating simulation.	(04 Marks) (06 Marks) (10 Marks)
7	а. b.	Explain about simulation tools. Explain CPU simulation.	(10 Marks) (10 Marks)
8	a. b. c.	rite short notes on, Simulation of inventory system. Time advance algorithm. Runs tests. Acceptance – rejection technique.	(20 Marks)
			(= = 1. ver 1 1 1 2)

USN					

#### Sixth Semester B.E. Degree Examination, July 2007 Computer Science and Engineering

#### **System Simulation and Modeling**

Time: 3 hrs.1

[Max. Marks:100

Note: 1. Answer any FIVE full questions.

2. The statistical tables A.5 and A.6 of "Discrete Event System Simulation" – Jerry Banks book can be provided.

- a. What is system and system environment? Explain the components of a system with examples. (10 Marks)
  - b. What are the advantages of simulation?

(05 Marks)

c. Discuss the types of models of a system.

(05 Marks)

- 2 a. Explain the calling population, service time and service mechanisms of a queuing system. (08 Marks)
  - b. A baker bakes 30 dozens of bread loafs each day. Probability distribution of customers is in table 1. Customers order 1, 2, 3 or 4 dozens of bread loafs according to the distributions given in table 2. Assume that on each day all the customers order same dozens of bread loafs. The selling price is Rs.5.4/dozen and making cost is Rs.3.8/dozen. The left over bread loafs will be sold for half price at the end of day. Based on 5 days simulation, calculate the profit of the baker. Instead of 30 dozens, if 40 dozens are baked per day will it be more profitable?

Table 1. Probability distribution of customers.

Table 1. k tobability a.	DULIDUL	OII OI V	OLOIHOLD	•
Number of customers/day	8	10	12	14
Probability	0.35	0.30	0.25	0.10

Table 2: Probability distribution of dozens ordered

Number of dozens/ customers	1	2	3	4
Probability	0.40	0.30	0.20	0.10

Random digits for customers - 50 61 73 24 96 Random digits for dozens - 5 3 7 0 8

(12 Marks)

- 3 a. What are the two categories of activities? Explain the three phases of activity scanning approach. (06 Marks)
  - b. Prepare a table using event scheduling time advance algorithm for a check out counter. Stop the simulation when fifth customer departs. Estimate mean response time and proportion of customers who spent 4 or more minutes in the system. Event notice must have event type, time and customer number. (14 Marks)

Inter arrival times	8	6	1	8	3	8	
Service times	4	1	4	3	2	4	<b></b>

Contd.... 2

- 4 a. What is the role of maximum density and maximum period in generation of random numbers? With given seed 45, constant multiplier 21, increment 49 and modulus 40, generate a sequence of five random numbers. (10 Marks)
  - b. For the following sequence can the hypothesis that the numbers are independent can be rejected on the basis of length of runs up and down when  $\alpha = 0.05$ .

0.34	0.90	0.25	0.89	0.87	0.44	0.12	0.21
0.46	0.67	0.83	0.76	0.79	0.64	0.70	0.81
0.94	0.74	0.22	0.74	0.96	0.99	0.77	0.67
0.56	0.41	0.52	0.73	0.99	0.02	0.47	0.30
0.17	0.82	0.56	0.05	0.45	0.31	0.78	0.05
0.79	0.71	0.23	0.19	0.82	0.93	0.65	0.37
0.39	0.42			<del></del>		<del></del>	

(10 Marks)

a. A sequence of 1000 four digit numbers has been generated and analysis indicates the following combinations and frequencies:

Combination	Observed frequency				
1	$O_i$				
Four different digits	565				
One pair	392				
Two pairs	17				
Three like digits	24				
Four like digits	2				

Based on Poker test check whether the numbers are independent. Use  $\alpha = 0.05$ .

(10 Marks)

- b. Explain inverse transform technique for exponential distribution. Show the corresponding graphical interpretation. (10 Marks)
- 6 a. Explain the acceptance rejection technique. Generate 5 Poisson's variates with mean  $\alpha = 0.25$ .
  - b. Explain Chisquare goodness of fit test. Apply it to Poisson assumption with  $\alpha = 3.64$ , Data size = 100 and

Observed frequency O<sub>i</sub> 12 10 19 17 10 8 7 5 5 3 3 1.

(10 Marks)

7 a. With examples explain output analysis.

(10 Marks)

b. Explain with a neat diagram model building, verification and validation.

(10 Marks)

- **8** Write short notes on:
  - a. Memory simulation
  - b. High level computer system simulation
  - c. Point estimation
  - d. Errors while generating pseudo random numbers.

(20 Marks)

USN

### Sixth Semester B.E. Degree Examination, Dec. 07 / Jan. 08 System Simulation and Modelling

Time: 3 hrs.

Max. Marks:100

Note: 1. Answer any FIVE full questions.

2. Random number Table and statistical Table book may be supplied.

- a. What is Simulation? State any four merits and demerits of simulation. (10 Marks)
  - b. Differentiate the following with examples: i) Static and Dynamic model ii) Discrete and continuous system iii) Deterministic and Stochastic model. (06 Marks)
  - c. State any two situations where simulation can be used with justification. (04 Marks)
- 2 a. Briefly explain the simulation of Inventory system and the various measures used to evaluate the system. (68 Marks)
  - b. Prepare a simulation table for a single channel queuing system using event scheduling/time advance algorithm, until the clock reaches time 21, using the inter arrival timer and service timer given below in the order shown. The stopping event will be at time 30.

	0	7	1	0	2	Q
Inter arrival time (mins)	8	0	1	0		0
Service time (mins)	4	1	4	3	2	4

Compute the cumulative statistics for the following:

- i) Busy time of server
- ii) Maximum Que length.
- iii) Total number of customers who spend 4 or more minutes at the counter.
- iv) Total number of departures upto the current simulation time.

(12 Marks)

- 3 a. Define any four concepts in discrete event simulation with suitable examples. (04 Marks)
  - b. Use the multiplicative conginential method to generate a sequence of four three digit random integers for  $X_0 = 117$ , a = 43 and m = 1000. (96 Marks)
  - c. The sequence of numbers 0.54, 0.73, 0.98, 0.11 and 0.68 has been generated. Use the Kolmogorav Smirnov test with  $\alpha = 0.05$  to determine if the hypothesis that its numbers are uniformly distributed on the interval (0,1) can be rejected. (10 Marks)
- 4 a. Lead times have been found to be exponentially distributed with mean 3.7 days. Generate five random lead time variates from this distribution using Inverse transform technique. Take  $R_1 = 0.01$ ,  $R_2 = 0.13$ ,  $R_3 = 0.35$ ,  $R_4 = 0.65$ ,  $R_5 = 0.53$ . (10 Marks)
  - b. Consider discrete distribution with DMF given by  $P(x) = \frac{2x}{k(k+1)}$ , x = 1, 2, ...k. Find an expression for finding the values of Random variates 'X' corresponding to Random number 'R'. (10 Marks)
- 5 a. Explain in detail the four important steps of development of useful 'Input Model'. (10 Marks)

b. The number of vehicles arriving at an intersection in a 5 minute period between 7:00 AM and 7:05 AM was monitored for 5 working days over a 20 week period. The Table below gives the data.

Arrivals per period X <sub>i</sub>	0	1	2	3	4	.5	6	7	8	9	10	11
Frequency in	12	10	19	17	10	8	7	5	5	3	3	1
number of days								<u>.</u>				

- i) Construct frequency table and find mean.
- ii) Assume Poisson distribution and estimate the parameter ' $\alpha$ '.
- iii) Check for Goodness of fit using Chi<sup>2</sup> test for significance level of 5%. (10 Marks)
- 6 a. Explain three step approach for validation process as formulated by Nayler and Finger.
  (12 Marks)
  - b. Explain Initialization Bias in output analysis of steady state simulation. (08Marks)
- 7 a. Briefly explain the sequence of pipeline stages in ILP CPU simulation of computer systems. (10 Marks)
  - b. Explain LRU stack evolution technique in simulation of computer memory. (10 Marks)
- **8** Write short notes on:
  - a. RUNS test.
  - b. Acceptance Rejection technique.
  - c. Point Estimation.
  - d. Calibration process in model building.

(20 Marks)

## Sixth Semester B.E. Degree Examination, June / July 08 System Simulation and Modeling

Time: 3 hrs.

Max. Marks:100

Note: 1. Answer any FIVE full questions. 2. Use of statistical tables is permitted.

Define simulation, simulation model, entities, measures-of-performance and activities.

b. List three circumstances under which simulation is the appropriate tool and two circumstances under which simulation is not the appropriate tool. (05 Marks)

c. Explain in brief with a neat figure the steps involved in a simulation study. (10 Marks)

- a. Explain in brief a simple queuing model and represent it using queuing notation. (05 Marks)
  - b. List and describe in brief the five elements / characteristics of the queuing system.

c. A grocery store has one checkout counter. Customers arrive at this check out counter at random from 1 to 8 minutes apart and each inter arrival time has the same probability of occurrence. The service times vary from 1 to 6 minutes with probabilities as given below.

Service (minutes) 1 Probability 0.10 | 0.20 | 0.30 | 0.25 | 0.10 | 0.05

Simulate the arrival of 5 customers and calculate i) Average waiting time for a customer

- ii) Probability that a customer has to wait iii) Probability of a server being idle
- iv) Average service time and v) Average time between arrivals. Use the following sequence of random numbers.

Random digits for arrival:	913	727	015	948	309	922	Í
Random digits for service time:	84	10	74	53	17	79	

Assume that first customer arrives at time 0. Depict the simulation in a tabular form.

(10 Marks)

- Briefly define any five concepts used in discrete event simulation. 3
- (05 Marks)
- b. Identify the concepts in the following example (i.e example of Q 3(c) drawing relevant figure.
- c. Six dump trucks are used to haul coal from the entrance of a mine to railroad. Each truck is loaded by one of two loaders. After loading, a truck immediately moves to the scale, to be weighed as soon as possible. Both the loaders and the scale have a first - come, first served waiting line for trucks. Travel time from a loader to scale is considered negligible. After being weighed a truck begins travel time (during which time truck unloads) and then afterwards returns to the loader queue. The activities of loading time, weighing time and travel time are given in the following table.

Loading Time 10 | 5 10 15 10 Weighing Time 12 12 12 16 12 16 Travel Time 60 | 100 | 40 | 40 | 80

End of simulation is completion of two weighings from the scale. Depict the simulation table and estimate the loader and scale utilizations. Assume that five of the trucks are at the loaders and one is at the scale at time O. (10 Marks)

- a. Differentiate between truly random numbers and pseudo random numbers. Mention four properties that random numbers should possess. (05 Marks)
  - b. Using multiplicative congruential method for generating random numbers, list the random numbers and find the period of generator for a = 13, m = 64 and  $X_0 = 2$ . (05 Marks)
  - c. A sequence of 1000 (one thousand) four digit numbers has been generated and an analysis indicates the following combinations and frequencies.
     Four different digits = 565, One pair = 392, Two pairs = 17, Three like digits = 24 and remaining are four like digits. Based on the poker test, test whether these numbers are independent. Use level of significance = 0.05.
- 5 a. Elaborate the need for generating random variats. Given probability mass function pmf of random variates and a set of uniform random numbers over the range (0,1), describe the method to generate random variates. (10 Marks)
  - b. Given the uniform distribution on  $\{1, 2, ..., k\}$  with pmf  $p(x) = \frac{1}{k}$ , x = 1, 2, ..., k, generate the random variates for the five random numbers (0.81, 0.12, 0.34, 0.56 and 0.93). Derive the formula used. Use K = 10 for generating random variates. (10 Marks)
- 6 a. Explain the need for input modeling and histogram method of identifying the input distribution. (05 Marks)
  - b. The number of vehicles arriving at a junction in a five minute period was observed for 100 days. The resulting data is as follows:

•	TODALITIES WATER TO												
	No. of arrivals	0	1	2	3	4	5	6	7	8	9	10	11
	Frequency	12	10	19	17	10	8	7	5	5	3	3	1

It is presumed that the arrivals follow a Poisson distribution with parameter  $\alpha = 3.64$ . Using Chi –square test, determine whether the assumption that arrivals follow Poisson distribution can be accepted at a 0.05 level of significance.

(Note: Expected values used should be  $\geq 5$  for calculation and put the values and calculated values in a tabular form). (15 Marks)

- 7 a. Differentiate between verification and validation of a simulation model. With a neat diagram, explain the relation between model building, verification and validation.
  - b. Describe the three step approach which has been used as an aid in the validation process.

    (10 Marks)

    (10 Marks)
- **8** Write short notes on:
  - a. Terminating and steady state simulations

(05 Marks

b. Point estimation of performance parameters.

(05 Marks

c. CPU simulation

(05 Marks

d. Memory simulation.

(05 Marks

# 2002 SCHEME

									Consultation of the last of th			
USN									o o theolie		·	CS65

## Sixth Semester B.E. Degree Examination, Dec.09/Jan.10 System Simulation and Modeling

Time: 3 hrs.

Max. Marks:100

Note: Answer any FIVE full questions.

What is a system, simulation and system environment? List the advantages and disadvantages of simulation. (10 Marks)

With the help of an example, explain the components of a system.

(06 Marks)

Differentiate between:

i) Discrete and continuous systems

ii) Static and dynamic model

iii) Deterministic and stochastic simulation

iv) Endogenous and exogenous event.

(04 Marks)

Explain in detail the simulation of quenching model.

(08 Marks)

A baker bakes 30 dozens of bread loafs each day. Probability distribution of customers is in table 1. Customers order 1, 2, 3 or 4 dozens of bread loafs according to the distributions given in table 2. Assume that on each day all the customers order same dozens of bread loafs. The selling price is Rs. 5.4/ dozen and making cost is Rs. 3.8/ dozen. The left over bread loafs will be sold for half price at the end of day. Based on 5 days simulation, calculate the profit of the baker. Instead of 30 dozens, if 40 dozens are baked per day will it be more profitable?

Table 1: Probability distribution of customers

Number of customers / day	8	10	12	14
Probability	0.35	0.30	0.25	0.10

Table 2: probability distribution of dozens ordered

Number of dozens / customers	1	2	3	4
Probability	0.40	0.30	0.20	0.10
Random digits for customers —	50	61	72 24	06

Random digits for dozens -

(12 Marks)

Explain time- advance algorithm with an example.

(06 Marks)

What is world view? Explain three phases of activity scanning approach.

(06 Marks)

Briefly explain manual simulation using event scheduling for single channel queue.

(08 Marks)

Briefly explain the different characteristics of quenching systems.

(05 Marks)

Explain LCG with the constraints on a, c and m. Also discuss the properties of LCG.

(08 Marks)

Generate random numbers for seed 2, constant multiplier 13, increment 0 and modulus of 26.

(07 Marks)

5 a. Differentiate between chi-square and K-S Test.

(04 Marks)

b. Using  $X_0^2$  test, test for hypothesis that the data given follows uniform distribution at  $\alpha = 0.05$ . The critical value is 16.9.

							<del>,</del>				
1			0	10	i'n	10	8	1 1 1	1 1 /	1.0	111
-	():	i X	i X	1 10	9	14	O	10	14	10	i i
	V 1		l								

(08 Marks)

c. Determine the hypothesis of independence for runs above or below the mean for the sequence of numbers given below:

						<del>,</del>			
0.41	0.68	0.89	0.94	0.74	0.91	0.55	0.62	0.36	0.27
0.19	0.72	0.75	0.08	0.54	0.02	0.01	0.36	0.16	0.28
0.18	0.01	0.95	0.69	0.18	0.47	0.23	0.32	0.82	0.53
0.31	0.42	0.73	0.04	0.83	0.45	0.13	0.57	0.63	0.29

Also for  $\alpha = 0.05 Z_{\alpha} = 1.96$ .

(08 Marks)

- 6 a. Explain in detail the inverse transform technique for exponential distribution.
- (10 Marks)
- b. Explain chi-square goodness of fit test to accept or reject a candidate distribution.
  - (10 Marks)
- 7 a. Discuss with the help of neat diagram model building. Verification and validation with diagram. (10 Marks)
  - b. Explain iterative process of calibrating a model.

(10 Marks)

- Write short notes on:
  - a. Point estimation
  - b. Memory simulation
  - c. High level computer system simulation
  - d. Interval estimation.

(20 Marks)