TICN		10CIV13/2
USN		

## First/Second Semester B.E. Degree Examination, December 2011 **Elements of Civil Engineering and Engineering Mechanics**

Max. Marks:100 Time: 3 hrs.

Note: 1. Answer any FIVE full questions, choosing at least two from each part.

- 2. Answer all objective type questions only on OMR sheet page 5 of the answer booklet.
- 3. Answer to objective type questions on sheets other than OMR will not be valued.

## PART-A

- (04 Marks) Select the correct answer: 1 i) Abuttment is a part of D) Building B) Bridge C) Dam A) Road ii) Which of the following is not an irrigation infrastructure? D) Road B) Canal C) Jackwell A) Dam iii) Surveying mainly deals with D) Measurement A) Communication ( ) Material B) Environment iv) Geotechnical engineering mainly deals with C) Earth D) Water B) Air A) Space What are the purposes of dam? Name any four types of dams. (08 Marks) b. ii) Types of bridges. (98 Marks) Name: i) Types of roads
- Select the correct answer: 2 i) Two forces having the same line of action are called

A) Coplanar parallel forces

B) Non coplanar concurrent forces D) Collinear forces

C) Coplanar non concurrent forces ii) The magnitude of the moment is zero, when the force is applied A) Percendicular to B) Inline with

D) at 60° to C) At any angle to

iii) Followink is the unit of moment of a force B) Nm<sup>2</sup>

A) N

 $C) N^2 m$ 

D) Nm

iv) If two forces are parallel, then they cannot be

A) Coplanar

B) Concurrent


C) Non coplanar


D) Non concurrent

(0.) Warks)

the lever.

A block of weight 200N is kept on the inclined plane and is fixed to the plane. Find the component of weight in the direction along the plane and perpendicular to the plane as (04 Marks) indicated (Refer Fig. Q.2(b))






Replace the force system shown in Fig. Q.2(c) by a single force passing through A and (06 Marks) moment of a couple.

State Newton's laws of motion.

(06 Marks)

3	a.	Select the correct answer:  i) The resultant of two concurrent forces becomes minimum if angle between them is
		A) Zero B) 180° C) 90° D) 60°
		ii) If two concurrent forces each of magnitude P act at right angles to each other, their resultant is
		A) 2P B) Zero C) $P\sqrt{2}$ D) $(P/2)$
		iii) The magnitudes of two given forces are 40N and 60N. Which of the following cannot be their resultant?
		A) 20N B) 30N C) 40N D) 120N
		iv) If the magnitude of resultant of two forces, of each magnitude P, is P, then the angle
		between the two forces is
		A) Zero B) 45° C) 120° D) 60°
t	Э.	Compute the resultant of the forces, (Refer Fig.Q.3(b)) (08 Marks)
		12an y
		550N X 125N
		3 M M M M M M M M M M M M M M M M M M M
		66' )
		SON SON 200N
		Fig.Q.3(b) Fig. Q.3(c)
С	,	
·	•	The three forces and a moment are applied to a bracket as shown in Fig. Q.3(c). Determine the moment, M, if the line of action of the resultant of the forces is to pass through B. Compute the resultant of the three forces and the moment.  (08 Marks)
a	•	Select the correct answer: (04 Marks)
		i) Moment of total area about its centroidal axis is
		A) Twice the area  B) Three times the area
		C) Zero D) Area x(centroidal distance) <sup>2</sup>
		ii) For a steel ball of radius, R,
		A) The centroid and centre of gravity are different
		B) The centroid and centre of gravity are same
		C) The centroid is half the centre of gravity D) None of these
		iii) The co-ordinates of the centroid of a quadrant of a circle of radius, r is
		4r - 4r - Ar
		A) $\overline{x} = \frac{4r}{3\pi}$ , $\overline{y} = r$ B) $\overline{x} = r$ , $\overline{y} = \frac{4r}{3\pi}$ C) $\overline{x} = \frac{4r}{3\pi}$ , $\overline{y} = \frac{4r}{3\pi}$ D) $\overline{x} = r$ , $\overline{y} = r$
		iv) If the given plane figure is symmetrical about y-y axis only, then the centroid lies on —  A) The intersection of x-x axis and y-y axis B) x-x axis
b.		D) None of these Determine the centroid of a semi circular area of radius r using method of integration.
c.		(08 Marks) Locate the centroid of the shaded area. (All dimensions are in mm Refer Fig. Q.4(c))
		(08 Marks)
		y



		<u>PARI -</u>	<u>- B</u>	
5	a.			(04 Marks)
		i) A particle acted upon by two forces of eq	ual magnitude having	g the same line of action is
		in equilibrium. The angle between the		
		A) 0° B) 90°	C) 180°	D) 45°
		ii) For equilibrium of a body subjected to cor		
		A) $\sum Fx = 0$ and $\sum Fy = 0$	B) $\sum Fx = 0$ and $\sum$	
		$C) \sum_{m=0}^{\infty} m = 0$		$\nabla y = 0$ and $\sum m = 0$ .
		iii) Lami's theorem can be applied when	forces act on a	body in equilibrium
		A) Two B) Three	C) Four	D) None of the above
		iv) A block of weight, W, is kept on a friction	iless inclined plane m	aking an angle, $\theta$ with the
		horizontal. The horizontal force, P, req		-
		A) W sin $\theta$ B) (W/2)tan $\theta$	C) W tan $\theta$	D) (W/tan $\theta$ )
	b.	<u> </u>	frictionless vertical	rod and is connected to a
		294N counter weight, C. Determine the value	of 'h' for which the	<del>-</del>
		(Refer Fig. Q.5(b))	Const	(06 Marks)
		* July	\$00A	No.
		* *************************************	مچ	J 8
		h   / 9	. 2	
		i / tic	A 34	45
		1 M		X45°
		^ <b>\</b>	Ž	W F
		- Harris 1971	•	1 20°
		Fig. Q.5(b)	Fig	. Q.5(c)
	C.	, and any of the state of the s	librium and also find	d the reaction at support.
		Refer Fig. Q.5(c) both arms of the crank are of	250mm length	(10 Marks)
<b>`</b>	a.	Select the correct answer:		
,	u.	i) For a beam, if one end is supported on roller	e and the other on him.	(04 Marks)
		A) Fixed B) Hinged	C) Cantilever	
		ii) For a fixed end of a beam, the number of re-		*D)Simply supported
		A) Three B) Two	C) One	D) Zero
		iii) A cantilever beam is one in which	C) ONC	D) ZKIO
		A) Both ends are fixed	B) One end is fixe	d and other is free
		C) Both ends are hinged	D) Both ends are f	ree
		iv) A horizontal simply supported beam AB o	f length 5m is acted	upon by a vertical point
		load of 10kN at a distance of 2m from A	The reactions of A	and B respectively are
		A) 4kN and 6kN B) 6kN and 4kN	C) 5kN and 5kN	D) 10kN and zero
		Calculate the reactions at A, for the beam show	n in Fig. O.6(b). The	
	b.	supported by cable at C. Self weight of the bean	a is 2kN/m (udl) as in	dicated. (06 Marks)
		and the second	( <del>)</del>	(00 Marks)
		Y	lookuk	٠.
		Apple of the		50 kn/m
		4 miles and a	A	THE PERSON NAMED IN
		Arr 1 12kN	+ m-+ m-t	21
		-k-1.5m-k1m-7	+-2m3	m — +
		Fig. Q.6(b)	Fig. Q.6(	c)

For the beam shown in Fig. Q.6(c), calculate the reactions at the supports. (Hinged support at c. A and roller support at B)

(10 Marks) (10 Marks)

	Select the correct answer:		(04 Marks)
	i) Angle of friction is angle between		
	A) The incline and horizontal	B) The normal	reaction and friction force
	C) The weight of the body and friction	force D) Normal read	ction and resultant
	ii) The force of friction depends upon		
	A) Area of contact		Roughness of surface
	C) Both area of contact and roughness	of surface I	O) None of these
	iii) Compared to static friction, kinetic fricti		
	A) Greater B) Smaller	C) Zero	D) Very large
	iv) If $\theta$ is the angle of friction and $\alpha$ is the a	•	, , ,
	<u>.</u>		ion relation to confeet.
	A) $\theta = \frac{1}{\alpha}$ B) $\theta = \alpha$	C) $\theta = \tan \alpha$	D) $\alpha = \tan \theta$ .
	•	rated by marrian a street	
).	The position of the machine block B is adju-		
	coefficient of static friction is 0.35 between		
	required to raise the block. B neglect the	weight of wedge. (Kei	- ' ' '
	block B is 2kN.		(10 Marks)
		·	•
	W=2kN		<b>5</b>
	We have	,	
	<b>(6)</b>	الم الم	the at wast 2004
			ider of neight 2004 and length 4m.
	W/A/+ P		and was a second
		4 10	7
	(1.7(b)		ig. <b>6.7(c)</b>
	A ladder of 4m \ lighing 200N is supported		
	in Fig. Q.7(c). 1 a man of weight 650N		
	indication of the ladder with reference of t		
	prevent slipping. Take the co-efficient of fric		to to be proces to
	F	tion for all surfaces of	
		tion for all surfaces of	
	Select the correct answer:	uon for all surfaces of	
	Select the correct answer: i) The moment of inertia of a circle of diame		contact as 0.25.(06 Marks) (04 Marks)
,			contact as 0.25.(96 Marks)  (04 Marks)  dal axis is
	i) The moment of inertia of a circle of diame A) $\pi D^2/32$ B) $\pi D^2/64$	eter D about its centroic	contact as 0.25.(06 Marks) (04 Marks)
-	<ul> <li>i) The moment of inertia of a circle of diamed</li> <li>A) πD²/32</li> <li>B) πD²/64</li> <li>Moment of inertia is a</li> </ul>	eter D about its centroid C) #D <sup>4</sup> /32	contact as 0.25.(06 Marks)  (04 Marks)  dal axis is  D) $\pi D^4/64$
•	<ul> <li>i) The moment of inertia of a circle of diamed A) πD²/32 B) πD²/64</li> <li>ii) Moment of inertia is a A) First moment of area</li> </ul>	eter D about its centroic  C) #D <sup>4</sup> /32  B) Second mome	contact as $0.25.(96 \text{ Marks})$ $(04 \text{ Marks})$ dal axis is $D) \pi D^4/64$ nt of area
	<ul> <li>i) The moment of inertia of a circle of diamed A) πD²/32 B) πD²/64</li> <li>ii) Moment of inertia is a         <ul> <li>A) First moment of area</li> <li>C) Third moment of area</li> </ul> </li> </ul>	eter D about its centroic  C) #D <sup>4</sup> /32  B) Second mome D) None of these	contact as $0.25.(96 \text{ Marks})$ $(04 \text{ Marks})$ dal axis is $D) \pi D^4/64$ nt of area
	<ul> <li>i) The moment of inertia of a circle of diamed A) πD²/32 B) πD²/64</li> <li>ii) Moment of inertia is a         <ul> <li>A) First moment of area</li> <li>C) Third moment of area</li> <li>iii) Polar moment of inertia of a plane area is</li> </ul> </li> </ul>	eter D about its centroic  C) #D <sup>4</sup> /32  B) Second mome D) None of these	contact as $0.25.(06 \text{ Marks})$ $(04 \text{ Marks})$ dal axis is $D) \pi D^4/64$ nt of area
	<ul> <li>i) The moment of inertia of a circle of diamed A) πD²/32 B) πD²/64</li> <li>ii) Moment of inertia is a <ul> <li>A) First moment of area</li> <li>C) Third moment of area</li> <li>iii) Polar moment of inertia of a plane area is A) Ixx X Iyy B) Ixx + Iyy</li> </ul> </li> </ul>	eter D about its centroic  C) #D <sup>4</sup> /32  B) Second mome D) None of these  C) Ixx / lyy	contact as $0.25.(96 \text{ Marks})$ $(04 \text{ Marks})$ dal axis is $D) \pi D^4/64$ nt of area
	<ul> <li>i) The moment of inertia of a circle of diamed A) πD²/32 B) πD²/64</li> <li>ii) Moment of inertia is a <ul> <li>A) First moment of area</li> <li>C) Third moment of area</li> <li>iii) Polar moment of inertia of a plane area is A) Ixx X Iyy B) Ixx + Iyy</li> <li>iv) The unit of moment of inertia of an area i</li> </ul> </li> </ul>	B) Second mome D) None of these  C) Ixx / lyy	contact as 0.25.(96 Marks)  (04 Marks)  dal axis is  D) πD <sup>4</sup> /64  nt of area  D) None of these
	<ul> <li>i) The moment of inertia of a circle of diamed A) πD²/32 B) πD²/64</li> <li>ii) Moment of inertia is a  A) First moment of area C) Third moment of area</li> <li>iii) Polar moment of inertia of a plane area is A) Ixx X Iyy B) Ixx + Iyy</li> <li>iv) The unit of moment of inertia of an area if A) m² B) m</li> </ul>	eter D about its centroic  C) #D <sup>4</sup> /32  B) Second mome D) None of these  C) Ixx / lyy	contact as 0.25.(96 Marks)  (04 Marks)  dal axis is  D) $\pi D^4/64$ nt of area  D) None of these  D) m <sup>3</sup>
	<ul> <li>i) The moment of inertia of a circle of diamed A) πD²/32 B) πD²/64</li> <li>ii) Moment of inertia is a  A) First moment of area C) Third moment of area</li> <li>iii) Polar moment of inertia of a plane area is A) Ixx X Iyy B) Ixx + Iyy</li> <li>iv) The unit of moment of inertia of an area i A) m² B) m</li> <li>State and prove parallel axis theorem :</li> </ul>	B) Second mome D) None of these  C) Ixx / lyy  C) m <sup>4</sup>	contact as 0.25.(96 Marks)  (04 Marks)  dal axis is  D) $\pi D^4/64$ nt of area  D) None of these  D) m <sup>3</sup> (06 Marks)
	<ul> <li>i) The moment of inertia of a circle of diamed A) πD²/32 B) πD²/64</li> <li>ii) Moment of inertia is a <ul> <li>A) First moment of area</li> <li>C) Third moment of area</li> <li>iii) Polar moment of inertia of a plane area is A) Ixx X Iyy B) Ixx + Iyy</li> <li>iv) The unit of moment of inertia of an area i A) m² B) m</li> </ul> </li> <li>State and prove parallel axis theorem: <ul> <li>Find the moment of inertia of plane lamina (</li> </ul> </li> </ul>	B) Second mome D) None of these  C) Ixx / lyy  C) m <sup>4</sup>	contact as 0.25.(96 Marks)  (04 Marks)  dal axis is  D) πD <sup>4</sup> /64  nt of area  D) None of these  D) m <sup>3</sup> (06 Marks)  Q.8(c) about x-x axis as
	<ul> <li>i) The moment of inertia of a circle of diamed A) πD²/32 B) πD²/64</li> <li>ii) Moment of inertia is a  A) First moment of area C) Third moment of area</li> <li>iii) Polar moment of inertia of a plane area is A) Ixx X Iyy B) Ixx + Iyy</li> <li>iv) The unit of moment of inertia of an area i A) m² B) m</li> <li>State and prove parallel axis theorem:</li> <li>Find the moment of inertia of plane lamina (indicated.</li> </ul>	B) Second mome D) None of these  C) Ixx / lyy  S  C) m <sup>4</sup> Shaded) shown in Fig.	contact as 0.25.(96 Marks)  (04 Marks)  dal axis is  D) $\pi D^4/64$ nt of area  D) None of these  D) m <sup>3</sup> (06 Marks)
	<ul> <li>i) The moment of inertia of a circle of diamed A) πD²/32 B) πD²/64</li> <li>ii) Moment of inertia is a  A) First moment of area C) Third moment of area</li> <li>iii) Polar moment of inertia of a plane area is A) Ixx X Iyy B) Ixx + Iyy</li> <li>iv) The unit of moment of inertia of an area i A) m² B) m</li> <li>State and prove parallel axis theorem:</li> <li>Find the moment of inertia of plane lamina (indicated.</li> </ul>	B) Second mome D) None of these  C) Ixx / lyy  C) m <sup>4</sup>	contact as 0.25.(96 Marks)  (04 Marks)  dal axis is  D) πD <sup>4</sup> /64  nt of area  D) None of these  D) m <sup>3</sup> (06 Marks)  Q.8(c) about x-x axis as
	<ul> <li>i) The moment of inertia of a circle of diamed A) πD²/32 B) πD²/64</li> <li>ii) Moment of inertia is a  A) First moment of area C) Third moment of area</li> <li>iii) Polar moment of inertia of a plane area is A) Ixx X Iyy B) Ixx + Iyy</li> <li>iv) The unit of moment of inertia of an area i A) m² B) m</li> <li>State and prove parallel axis theorem:</li> <li>Find the moment of inertia of plane lamina (indicated.</li> </ul>	B) Second mome D) None of these  C) Ixx / lyy  S  C) m <sup>4</sup> Shaded) shown in Fig.	contact as 0.25.(96 Marks)  (04 Marks)  dal axis is  D) πD <sup>4</sup> /64  nt of area  D) None of these  D) m <sup>3</sup> (06 Marks)  Q.8(c) about x-x axis as
	<ul> <li>i) The moment of inertia of a circle of diamed A) πD²/32 B) πD²/64</li> <li>ii) Moment of inertia is a  A) First moment of area C) Third moment of area</li> <li>iii) Polar moment of inertia of a plane area is A) Ixx X Iyy B) Ixx + Iyy</li> <li>iv) The unit of moment of inertia of an area i A) m² B) m</li> <li>State and prove parallel axis theorem:</li> <li>Find the moment of inertia of plane lamina (indicated.</li> </ul>	B) Second mome D) None of these  C) Ixx / lyy  S  C) m <sup>4</sup> Shaded) shown in Fig.	contact as 0.25.(96 Marks)  (04 Marks)  dal axis is  D) πD <sup>4</sup> /64  nt of area  D) None of these  D) m <sup>3</sup> (06 Marks)  Q.8(c) about x-x axis as (10 Marks)
	<ul> <li>i) The moment of inertia of a circle of diamed A) πD²/32 B) πD²/64</li> <li>ii) Moment of inertia is a  A) First moment of area C) Third moment of area</li> <li>iii) Polar moment of inertia of a plane area is A) Ixx X Iyy B) Ixx + Iyy</li> <li>iv) The unit of moment of inertia of an area i A) m² B) m</li> <li>State and prove parallel axis theorem:</li> <li>Find the moment of inertia of plane lamina (indicated.</li> </ul>	B) Second mome D) None of these  C) Ixx / lyy  S  C) m <sup>4</sup> Shaded) shown in Fig.	contact as 0.25.(96 Marks)  (04 Marks)  dal axis is  D) πD <sup>4</sup> /64  nt of area  D) None of these  D) m <sup>3</sup> (06 Marks)  Q.8(c) about x-x axis as
•	<ul> <li>i) The moment of inertia of a circle of diamed A) πD²/32 B) πD²/64</li> <li>ii) Moment of inertia is a  A) First moment of area C) Third moment of area</li> <li>iii) Polar moment of inertia of a plane area is A) Ixx X Iyy B) Ixx + Iyy</li> <li>iv) The unit of moment of inertia of an area i A) m² B) m</li> <li>State and prove parallel axis theorem:</li> <li>Find the moment of inertia of plane lamina (indicated.</li> </ul>	B) Second mome D) None of these  C) Ixx / lyy  S  C) m <sup>4</sup> shaded) shown in Fig.	contact as 0.25.(96 Marks)  (04 Marks)  dal axis is  D) πD <sup>4</sup> /64  nt of area  D) None of these  D) m <sup>3</sup> (06 Marks)  Q.8(c) about x-x axis as (10 Marks)  Fig. Q.8(c)
•	<ul> <li>i) The moment of inertia of a circle of diamed A) πD²/32 B) πD²/64</li> <li>ii) Moment of inertia is a  A) First moment of area C) Third moment of area</li> <li>iii) Polar moment of inertia of a plane area is A) Ixx X Iyy B) Ixx + Iyy</li> <li>iv) The unit of moment of inertia of an area i A) m² B) m</li> <li>State and prove parallel axis theorem:</li> <li>Find the moment of inertia of plane lamina (indicated.</li> </ul>	B) Second mome D) None of these  C) Ixx / lyy  S  C) m <sup>4</sup> shaded) shown in Fig.	contact as 0.25.(96 Marks)  (04 Marks)  dal axis is  D) πD <sup>4</sup> /64  nt of area  D) None of these  D) m <sup>3</sup> (06 Marks)  Q.8(c) about x-x axis as (10 Marks)
	<ul> <li>i) The moment of inertia of a circle of diamed A) πD²/32 B) πD²/64</li> <li>ii) Moment of inertia is a  A) First moment of area C) Third moment of area</li> <li>iii) Polar moment of inertia of a plane area is A) Ixx X Iyy B) Ixx + Iyy</li> <li>iv) The unit of moment of inertia of an area i A) m² B) m</li> <li>State and prove parallel axis theorem:</li> <li>Find the moment of inertia of plane lamina (indicated.</li> </ul>	B) Second mome D) None of these  C) Ixx / lyy  S  C) m <sup>4</sup> shaded) shown in Fig.	contact as 0.25.(96 Marks)  (04 Marks)  dal axis is  D) πD <sup>4</sup> /64  nt of area  D) None of these  D) m <sup>3</sup> (06 Marks)  Q.8(c) about x-x axis as (10 Marks)  Fig. Q.8(c)

4 of 4

7

8