steam turbine.

## First/Second Semester B.E. Degree Examination, December 2010 Elements of Mechanical Engineering

		Elements of Mechanical Engineering
Tin	te:1.	Answer any FIVE full questions, choosing at least two from each part.  Answer all objective type questions only in OMR sheet page 5 of the Answer Booklet.  Answer to objective type questions on sheets other than OMR will not be valued.
		PART - A
1	a.	Choose the correct answer:
		i) Photosynthesis process which is the source of all fossil fuels and food is called  A) Helio electrical process  B) Helio chemical process  C) Helio thermal process  D) None of these.
		C) Helio thermal process  D) None of these.  The difference between superheated temperature and the saturation temperature is defined as
		A) Sensible heat  C) Amount of superheat  B) Latent heat  D) Degree of superheat.
		iii) is an accessory of a boiler.
		A) Pressure gauge  C) Economizer  B) Safety valve  D) Feed check valve.
		iv) Example of a water tube boiler is  A) Babcock and Wilcox boiler  C) Cornish boiler  D) Cochran boiler. (04 Marks)
	b.	5kg of wet steam of dryness fraction 0.8, passes from a boiler to a superheater, at a constant pressure of 10 bar abs. In the superheater its temperature increases to 350°C. Determine its amount of heat supplied in the superheater. The specific heat of superheated steam $C_{rs} = 2.25 \text{ kJ/kg K}$ .
		[At P = 10 bar abs, the properties from steam tables are: $T_s = 179.88^{\circ}$ C $h_f = 762.61 \text{ kJ/kg}$ $h_{fg} = 2013.6 \text{ kJ/kg}$ .   (06 Marks)
	c.	Explain with a neat sketch, the working principle of a Babcock and Wilcox boiler. (10 Marks)
2	a.	Choose the correct answer:  i) turbine is an example for steam turbine.  B) Pelton wheel
		C) Francis turbine D) Parson's turbine.
		ii) Impulse steam turbines have type of blades.  A) Symmetrical profile  C) Unsymmetrical profile  D) None of these.
		iii) In Pelton wheel energy is converted into mechanical energy.  A) Electrical  B) Solar  D) Wind
		iv) is an example for reaction turbine.  A) Kaplan turbine  B) Pelton wheel  B) Continuation (04 Marks)
	b.	C) De Lavel turbine  Explain with neat sketches, the working principles of impulse and reaction turbines.  (10 Marks)
	c.	What is compounding of a steam turbine? Briefly explain the velocity compounding of a (06 Marks)

1 of 4

a.	Cho	ose the correct answer.	amic c	vcle.	
	i)	A petrol engine works on thermodyr	R)	Diesel cycle	
		A) Otto cycle	D)	Sterling cycle.	
		C) Dual combustion cycle	f the cu	ankshaft to complete a cycle ar	e
	ii)	In 4-stroke engines, number of rotations o	D)	2	
		A) 1	B)	4	
		C) 4	ו (ע	6	o como
	iii)	The part of the engine, which stores energ	gy duri	ing power stroke and supply in	e same
		for the other three strokes is	•		
		A) Piston	B)	Crank	
		C) Connecting rod	D)	Flywheel.	
	iv)	In diesel engines, heat is supplied at const	ant		
		A) Temperature	B)	Pressure	
		C) Volume	D)	Area. (04	Marks)
h	With	a neat sketch, explain the working princip	le of a	four stroke diesel engine, with	the PV
U.	-			(10	Marks)
	diagr	ngle cylinder four stroke engine runs at 10	00 rpm		
C.	A SII	e of 140 mm. The brake load is 6 kg at 600	mmr		
	SITOK	Calcalate broke navver and the mean offer	tivo pr	accure (06	Marks)
	80%	Calculate brake power and the mean effec	uve pro	essure. (00	wai ks)
a.	Cho	ose the correct answer:			
٠	i)	Which one of the following is not used as	a refri	gerant?	
	1)	A) Freon – 22	B)	Hydrogen	
		C) Ammonia	Di	Sulphur dioxide.	
	::)	In a refrigeration system, the ratio of heat			nlied is
	ii)		austri	jed in a system to the work sup	pired is
		called	20%	Effortiveness	
		A) Efficiency	D)	Effectiveness None of these.	
		C) Coefficient of performance			
	iii)	In a vapour absorption refrigerator, the ab	sorber		
		A) Ammonia	B)	Cold water	
		C) Carbon dioxide	D)	Methyl chloride.	
	iv)	Presence of moisture in a refrigeration cyc	cle will		
		A) Compressor suction	B)	Compressor discharge	
		C) Expansion valve	D)	Condenser. (04	Marks)
b.	Wha	t are the properties of a good refrigerant? E	xplain.	(06	Marks)
c.	Expl	ain with a neat sketch, the working of a var	our co	mpression refrigerator. (10	Marks)
		PART - B			
	-	A CONTRACTOR OF THE PARTY OF TH			
a.	Cho	ose the correct answer:			
	i)	Carriage is a part of a			
		A) Milling machine	B)	Drilling machine	
		C) Grinding machine	D)	Lathe.	
	ii)	Enlarging of a drilled hole, using a single	le poin	t cutting tool in a drilling mac	hine, is
		called			
		A) Drilling	B)	Counter boring	
		C) Boring	D)	Tapping.	
	iii)	The machining operation performed on a			and of
	****	the work piece is called	i lattic,	to obtain a riat surface, at the	cha or
		A) Turning	Di	Date	
		C) Knurling	B)	Facing	
	in		D)	Taper turning.	
	iv)	Tapping operation is performed to obtain			
		A) External threads	B)	Internal threads	
		C) Tapered hole	D)	Cylindrical hole. (04	(Marks)

2 of 4

b.	With a neat sketch, explan the following machining operations:						
		i)	Counter boring			2.70	
		ii)	Knurling		A STATE OF THE STA		
		iii)	Taper turning	100 100		(09 Marks)	
c.	With	a nea	at sketch, explin the construction	and workin	g of a radial drilling mac		
						(07 Marks)	
	CI						
a.			ne correct answer:				
*	1)			operation.			
		A)	Surface grining	B)	Centre type cylindrical	grinding	
		C)	Centreless ginding	D)	None of these.		
	ii)	Whi	ch one is not an abrasive particle?				
		A)	Aluminum exide	B)	Diamond		
		C)	Corundum	D)	Silicate.		
	iii)	Kne	e is a part of a				
		A)	Horizontal milling machine	B)	Lathe		
		C)	Radial arm dilling machine	D)	None of these.		
	iv)	The	process of milling used to mill sle	ots, pockets	and keyways, in such a	way, that, the	
		axis	of the milling cutter is perpendicu	ular to the s	surface of the workpiece i	s called	
		A)	Straddle miling	B)>	Angular milling		
		C)	End milling	D)	Gang milling.	(04 Marks)	
h	Evnl	ain th	e following milling operations, w	ith a neat sl	ketch:		
0.	LAPI	i)	Gang milling	(7)			
		1)	Straddle milling				
		11)	Form milling.	, )		(09 Marks)	
	XX7:+1-	iii)	at sketch, explain the external cyli	indrical cen	terless grinding process.	(07 Marks)	
C.	With	a nea	at sketch, explain the external cyl	marrour con	iterioo garana g p	•	
a.	Cho	ose th	ne correct answer:				
	i) The oxy – acetylene flame, which contains more amount of oxygen and less amount o						
	3)		ylene is				
			Neutral flame	B)	Reducing flame		
		(1)	Ovidizing flame	D)	None of these.		
	ii)	Loir	ing of two thin metal pieces using	g an alloy b	y the application of heat	is called	
	11)	A)	Soldering	B)	Welding		
		0	D	D)	Buffing.		
	:::	The	lubrication method, used in I.C.	engines to l	lubricate the cylinder and	the piston is	
	iii)	1000	Splash lubrication	B)	Drop feed lubrication		
		A)	Syphon wick lubrication	D)	None of these.		
		()	Syphon wick morrenton				
	iv)	100	l bearings are also called as	B)	Journal bearings		
		A)	Thrust bearings	D)	None of these.	(04 Marks	
		C)	Antifriction bearings			(06 Marks)	
h	Wha	t are	the desirable properties of a good	lubricant?	Explain any six.		
	117:41		ot chetch explain the Working pri	neibie or or		(04 Marks)	
2	List	any f	our differences between soldering	g and brazir	ng.		
u.	List	min 1					

8	a.	Choo	ose th	ne correct answer:				
		i)		ver transmitted is				
			A)	The rate of work d	one per unit time	- W. (E)		
			B)	The product of for	ce and distance trav	eled		
			C)	The energy emitte	d by any machine or	r engi	ne	
			D)	None of these.				
		ii)		en belt drive is emple	oyed when			
		/	A)	Two parallel shaft	s are rotating in the	some	direction	
			B)	Two parallel shaft	s are rotating in the	oppo:	site direction	
			C)	Two perpendicula	r shafts are rotating	in the	same direction	
			D)	Two perpendicula	r shafts are rotating	in the	e opposite direction.	
		iii)	Gea	irs, used for connect	ing non - parallel ar	nd non	n intersecting axes sh	afts are
		,	A)	Spur gears		B)	Bevel gears	
			C)	Worm gears		D)	Spiral gears.	
		iv)	Gea	ar drive used to conv	ert the rotary motion	n into	linear motion is	
			A)	Spur gear		B)	Bevel gear	
			0	Rack and pinion		D)	Spiral gear.	(04 Marks)
	h	With	neat	sketches, explain th	ne following terms, u	used i	n belt drives:	
	0.	11 141	i)	Arc of contact				
			ii)	Tight and slack sid	les	(	),	
			(iii)	Velocity ratio		()		(09 Marks)
	C.	Two	Spill	gears A and B cont	nect two parallel sha	fis, th	nat are 500 mm apart	. Gear 'A' runs at
	c. Two spur gears A and B connect two parallel shafts, that are 500 mm 400 rpm and gear 'B' at 200 rpm. If the circular pitch is 30mm, calcu							e number of teeth
				A and B.	00.			(07 Marks)
		on 8	ours 1		25/33			

\* \* \* \* \*

CHICKLES TO THE PERSON OF THE